	Application No.	(Applicant/a)
Notice of Allowability	Application No.	Applicant(s)
	10/809,410	NAGASHIMA ET AL.
	Examiner	Art Unit
	Dennis H. Pedder	3612
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to		
2. The allowed claim(s) is/are 1 and 2.		
3. The drawings filed on are accepted by the Examiner.		
 4.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 5/17/2005. Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4/19/04,9/17/2004 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ⊠ Interview Summary Paper No./Mail Dat 8), 7. ⊠ Examiner's Amenda	e

Art Unit: 3612

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Edmondson on 5/17/2005.

The application has been amended as follows:

Page 2, line 3 from the end, "A-A" is changed to --2-2--;

Page 3, line 3, "B-B" is changed to --5-5--;

Page 4, line 3, "lack" is changed to --rack--;

Page 5, line 8, "device s" is changed to --devices--;

Page 5, line 10, "so as to" is deleted and "with" is deleted;

Page 5, line 11, --as a-- is inserted before "trapezoidal".

- 2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Change in figure 1, "A-A" to --2-2-- and "B-B" to --5-5--. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- 3. The following is an examiner's statement of reasons for allowance: Maeta et al is cited for showing the environment of the spur tooth rack belt drive with no indication of variable tooth thickness or conical shape to the drive device. DiCarlo et al. details a variable tooth thickness with a smaller thickness at top and bottom of the tooth, but in the environment of a slotted drive

tape, not a spur tooth rack belt, hence not forming a prima facie case with Maeta et al. Miyamura et al. details a conical shaped drive device 10, but lacks the teaching of a variable tooth thickness, hence not forming a prima facie evidence against the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dennis H. Pedder whose telephone number is (571) 272-6667. The examiner can normally be reached on 5:30-2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn D. Dayoan can be reached on (571) 272-6659. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Dennis H. Pedder **Primary Examiner** Art Unit 3612 5/17/05

Application/Control Number: 10/809,410

Art Unit: 3612

Unit: 3612

Page 4

DHP 5/17/2005